



REQUEST FOR QUOTATION

Mindoro State University (MinSU) Main Campus through Bids and Awards Committee will undertake **Small Value Procurement** pursuant to the provisions of R.A. 12009, to wit;

Name of Project	SUPPLY AND DELIVERY OF CABLE, SATELLITE, TELEGRAPH AND RADIO EQUIPMENT FOR THE PROJECT GENESIS OF MINSU
Solicitation	RFQ 2026-025
Place of Delivery	MINSU MAIN CAMPUS
Brief Description	CABLE, SATELLITE, TELEGRAPH AND RADIO EQUIPMENT FOR THE PROJECT GENESIS OF MINSU
Quantity	Thirteen (13) Item
Approved Budget for the Contract (ABC)	Php. 82,420.00
Date of Delivery	30 days upon conformed of PURCHASE ORDER

Please quote your **lowest price** on the attached bid form and submit personally/through email your **SEALED QUOTATION not later than on 9:00 am, May 14, 2026** at the **Bids and Awards Committee (BAC) Office, Mindoro State University -Main Campus, Alcate, Victoria, Oriental Mindoro.**

Received by:

Name and Signature: _____

Company: _____

Date: _____


ROVELYN P. ROXAS
BAC Chairperson

Terms and Conditions:

1. All entries must be **LEGIBLE**.
2. Delivery Period within ____ calendar days.
3. Warranty shall be for a period of six (6) months for supplies and materials, one (1) year for Equipment, from date of acceptance by the procuring entity.
4. Price validity shall be a period of 60 calendar days.
5. PhilGEPS Registration Certificate shall be attached upon submission of the Quotation.
6. Bidders shall submit Original Brochures showing certification of the product being offered (Required; if applicable).
7. Mode of delivery: [] Pick-up (Schedule) [] Door to Door Delivery





BID FORM

Item/s and Specification/s (minimum)	Unit	Qty.	Brand / Specification	Unit Price (VAT inclusive)	Total Amount (VAT inclusive)	Compliance with Technical Specifications (please check)	
						YES	NO
13 in 1 FTTH Fiber Optic Tool Kit	set	1				()	()
<i>Specification:</i> One (1) Optical Power Meter One (1) FC-6S Fiber Cleaver One (1) CFS-3 Fiber Optic Stripper One (1) 10MW Visual Fault Locator One (1) Kevlar Scissor One (1) FTTH Drop Cable Stripper One (1) Alcohol Bottle One (1) Other Accessories One (1) Fiber Length Fixator Two (2) Allen Wrenches One (1) Fabric Bag (Fiber Cleaver) One (1) Fabric Bag (VFL) One (1) Big Fabric Bag							
12 in 1 Kit Network Tool Set	set	1				()	()
<i>Specification:</i> One (1) RJ45/RJ11 Crimper One (1) Punch down tool One (1) LAN/TEL Network Cable Tester Two (2) Mini Stripper One (1) Cable Stripper One (1) USB Cable Twenty (20) RJ45 Connectors Twenty (20) RJ11 Connectors Five (5) spare Blades One (1) Mark Pen Ten (10) Modular Plug Boots One (1) LAN/TEL Tester							
Smart Dual Band WiFi Router	pcs	2				()	()
<i>Specification:</i> Frequency: 2.4GHz & 5 GHz Antenna: 4*6dBi External Antennas CPU: 600MHz RAM: 32MB Interfaces: 1*10/1000Mbps WAN Port 3*10/1000Mbps LAN Port LED Indicator: Sys*1, WiFi*1, WAN*1, LAN*1 Standard&Protocol: IEEE802.3, IEEE802.3u Dimension: (LxWxH): 220mm*141.5mm*49mm Color: Black Button: 1*Wi-Fi/ Reset button Support 5th Generation Wi-Fi Standard 802.11ac wave and up to No. 1167 Mbps Wifi speed for super smooth internet experience							





MINDORO STATE UNIVERSITY

Victoria, Oriental Mindoro 5205 Philippines

✉ universitypresident@minsu.edu.ph

🌐 www.minsu.edu.ph

☎ +63 977 846 72 28



BAGONG PILIPINAS

Item/s and Specification/s (minimum)	Unit	Qty.	Brand / Specification	Unit Price (VAT inclusive)	Total Amount (VAT inclusive)	Compliance with Technical Specifications (please check)	
						YES	NO
Cat6 UTP LAN Cable Outdoor Network Cable (waterproof)	roll	1				()	()
<i>Specification:</i> IDC6-A305, Indoor Cat6 UTP Cable 305M CCA Material: Copper Clad Aluminum (CCA) Cable Construction Conductor: 23AWG (1/0.53mm) Copper Clad Aluminum Insulation: HDPE 0.96mm Nos. of Twisted Pairs: 4 Pairs Separator: Polyolefin Tape Filler: Rip Cord Jacket: PVC Jacket Thickness: 0.8mm Overall Diameter: 0.240" (6.1±0.1mm)							
5 Port Ethernet Network Switch 10/100Mbps Desktop Network Switch	pcs	4				()	()
<i>Specification:</i> 10/100Mbps Auto-Negotiation RJ45 port, supporting Auto-MDI/MDIX Green Ethernet technology saves power IEEE 802.3X flow control provides reliable data transfer Plastic casing, desktop or wall-mounting design Plug and play, no configuration needed Fanless design ensures quiet operation Dimensions: (WxDxH) (80*50*22mm) Max Power Consumptions: 3.7W Max Heat Dissipation: 12.617 BTU/h Color: White							
Fiber Optic Cable Anchoring Clamp S-Type F clamp FTTH Clamp Fixing Parts Clamp for Drop Cable (10pcs/lot)	lot	2				()	()
<i>Specification:</i> Fiber Optic Anchoring Clamp S-Type F- Type Fiber fixing Parts Clamp for Drop Cable Dimension: 135*28*17mm Materials: Stainless steel and plastic Application: FTTH System PACKAGE INCLUSION: 10 pcs White or Black clamps							
Fiber Optic Single Core Fiber Cable	roll	1				()	()
<i>Specification:</i> FTTH SC/UPC-SC)UPSC outdoor Mode: Single-Mode Fiber: Single Core Length: 200m Material: PVC Number of cores 1 core 3 steel wire							



•Main Campus, Alcate, Victoria

•Bongabong Campus, Labasan, Bongabong

•Calapan City Campus, Masipit, Calapan City



MINDORO STATE UNIVERSITY

Victoria, Oriental Mindoro 5205 Philippines

✉ universitypresident@minsu.edu.ph

🌐 www.minsu.edu.ph

☎ +63 977 846 72 28



BAGONG PILIPINAS

Item/s and Specification/s (minimum)	Unit	Qty.	Brand / Specification	Unit Price (VAT inclusive)	Total Amount (VAT inclusive)	Compliance with Technical Specifications (please check)	
						YES	NO
Media Converter HTB-3100 Fiber Transceiver Fiber Converter 25km 10/100m A/B	pcs	2				()	()
<i>Specification:</i> Connectors: RJ45-UTP and Fiber SC/ST Six(6) LEDs: Power, FDX/Col, FX (Link/Act), TX (Link/Act), FX 100, TX 100 Data Transfer Mode: 10/100Mbps Duplex Mode: Full of Half duplex mode Power Supply: AC100-265V/DC5V switching power supply Transceiver Dimensions: 70mmx26mmx93mm (external power); 120mmx30mmx140mm (built-in) Outer Dimension: 95mmx71mmx25mm Packaging: ESD Package, Carton Single-mode fiber cable: 8.3/125um, 8.7/125um, 9/125um, 10/125um Multi-mode fiber cable: 50/125um, 62.5/125um, 100/140um							
CAT6 UTP RJ45 Gold-plated	lot	1				()	()
<i>Specification:</i> Modular Plug Transparent (50pcs/lot) Outside Diameter: 1.1±0.02mm Operating Temp: -10 degrees celsius to 60 degrees celsius supports 23-26AWG wire gauge							
RJ45 Ethernet Network Cable Strain Relief Boots Cable Connector Plug Covers for CAT5 CAT5E CAT6 (50pcs/lot)	lot	1				()	()
Fiber Optics Fast Connector, Single Mode SC UPC Quick Connector Adapter for 9/125um SM FTTH Optical Fiber Cable (50pcs)	lot	1				()	()
<i>Specification:</i> Fiber Type: Single Mode: Connector Type: SC/UPC Certification: RoHS, Fiber Mode: 9/125um Single mode Cable Diamters:0.9/2.0/3.0mm: Dimension: 50mm Insertion Loss: ≤0.3dB, Return Loss: ≥50dB Temperature: Storage -40 to 85-C, Operating: -20 to 75-C,							
Raspberry Pi Xero 2W 1GHz Quad-core 64-bit Arm Cortex- A53 CPU 512MB SDRAM, Dimension: 30*65mm	pcs	1				()	()





MINDORO STATE UNIVERSITY

Victoria, Oriental Mindoro 5205 Philippines

✉ universitypresident@minsu.edu.ph

🌐 www.minsu.edu.ph

☎ +63 977 846 72 28



BAGONG PILIPINAS

Item/s and Specification/s (minimum)	Unit	Qty.	Brand / Specification	Unit Price (VAT inclusive)	Total Amount (VAT inclusive)	Compliance with Technical Specifications (please check)	
						YES ()	NO ()
P.o.C Two-way Radio	pcs	4				()	()
<i>Specification:</i> Dual Sim CARD, 4G LTE, GPS GEO Fencing, 5 watts Single Band Analog 2600maH Battery Capacity Display Screen: 1.44inch, 128x128 Operating Voltage: 8.4 V Operating Temperature: -20-+50-C, Network Band: LTE-FDD B1/B3/B5/B8/ LTE-TDD B34/B38/B39/B40/B41 Antenna: External antenna Receiver Frequency Range: 400-450Mhz, Sensitivity: <-120dBm Intermodulation: .65dB, Adjacent Channel Selectivity: >70, Spurious Rejection: >-127dBm 4±0.5V Audio Output Power: <3%; Audio Distortion: 300Hz (3.02 TO -11.46dB); 500Hz: (3.02 to -7.02dB); 1000Hz: (-3.00 To -1.00dB); 2000Hz : (-9.02 to -5.02dB); 3000Hz : (-17.29 to -8.54 dB); Audio Response: <-47dB							
TOTAL							

General Conditions

1. Quotations and other requirements stated below shall be submitted to the **Bids and Awards Committee (BAC) Office, Mindoro State University -Main Campus, Alcate, Victoria, Oriental Mindoro, Philippines** on the date and time stated in this RFP.
2. Supplier shall submit the following requirements:
 - () Duly signed original copy of Request for Quotation (RFQ). Prices shall be quoted in
 - () Notarized Omnibus Sworn Statement (if above 200k as lot basis) and Secretary Certificate (if corporation)
 - () PhilGEPS Platinum Certificate of Registration (only if Platinum Certificate)(Valid, updated and Active and no expired document listed on the last page) with CTC
 - () Brochure (if Goods and Equipment) (Updated & Original or CTC)
 - () PCAB License(if infrastructure)(Updated & Original or CTC)
 - () BIR certificate of Registration (BIR 2303)(Updated & Original or CTC)

Please submit if the PhilGEPS Registration is RED



•Main Campus, Alcate, Victoria

•Bongabong Campus, Labasan, Bongabong

•Calapan City Campus, Masipit, Calapan City



MINDORO STATE UNIVERSITY

Victoria, Oriental Mindoro 5205 Philippines

✉ universitypresident@minsu.edu.ph

🌐 www.minsu.edu.ph

☎ +63 977 846 72 28



- () PhilGEPS proof of Red Registration (*Updated & Original or CTC*)
- () DTI/SEC/CDA Registration (*Updated & Original or CTC*)
- () Business/ Mayor's Permit (*Updated & Original or CTC*)
- () Tax Clearance/ Tax Compliance Verification Cert (*Updated & Original or CTC*)(if above Php. 500,000.00)
- () Latest Income / Business Tax Return (*Updated & Original or CTC*)
- () Audited Financial Statement (*Updated & Original or CTC*)

Note: Please ensure that all non-original documents, including those submitted via email or in person, are duly certified as true copies (CTC) and bear the name and signature of the authorized representative. Failure to comply with this requirement may result in disqualification.

Price validity shall be 30 calendar days from the deadline of submission of quotation.

Ocular inspection

The supplier and its premises **may be subjected to ocular inspection or verification** by the End-User and/or the BAC Technical Working Group (TWG), **if deemed necessary to confirm compliance with technical specifications prior to award.**

Award

The contract shall be awarded to the supplier who:

1. Submitted the **Lowest Calculated and Responsive Bid (LCRB)**; and
2. Successfully **passed verification of compliance with eligibility, technical requirements, and, if applicable, ocular inspection or post-qualification** performed by the TWG.

Award is **subject to the approval of the Head of the Procuring Entity** and is **conditional upon compliance with all requirements** under RA 12009, the GPPB guidelines, and the RFQ. If the supplier with the LCRB **fails verification or inspection**, the BAC may consider the **next lowest responsive bid.**

Evaluation of Quotations

Quotations shall be compared and evaluated based on:

1. Completeness of Submission of all required documents
2. Compliance with Item & Description Requirements
3. Reasonableness and competitiveness of the quoted price, evaluated based on the **LCRB/HRRB/MEARB/MARB** in relation to the Approved Budget for the Contract (ABC).

Instructions

1. Supplier shall be responsible for the source(s) of its goods/services/equipment, and which shall be in accordance with the schedule and specifications of the RFQ and contract. Failure of the supplier to comply with this provision shall be ground for cancellation of the award or purchase order issued to the supplier.
2. Supplier that accepted an award, purchase order, or contract but failed to deliver the required goods/services/equipment within the time called for in the award, purchase order, and contract shall be disqualified from participating in MinSU or any of MinSU campuses future procurement activities. This is without prejudice to the imposition of other sanctions prescribed under R.A. 9184 and its IRR-A against the supplier.
3. The supplier is responsible for **all duties, excise, taxes, and other government charges.**





- All transactions are subject to withholding of creditable government taxes in accordance with the revenue regulation(s) of the Bureau of Internal Revenue

Liquidation Damages

A penalty of one-tenth of one percent (0.001) of the total contract price per calendar day shall be imposed for any delay in the delivery of goods, services, or equipment. The total liquidated damages shall not exceed 10% of the total contract price. Exceeding this threshold shall constitute a ground for termination of the contract by the BAC.

Document transmission service

The supplier shall shoulder the courier expenses for the delivery of documents such as the **Notice of Award (NOA), Purchase Order (PO), Contract Agreement (CA), Notice to Proceed (NTP)** and other related documents pertaining to the supplier.

Warranty

The supplier warrants that all goods, services, or equipment conform to acceptable industry standards and the specifications stated in the RFQ and contract. Any defect or non-conformance discovered during the warranty period shall be remedied by the supplier at no additional cost.

Payment

Payment shall be made only upon a certification by the Head of the Procuring Entity to the effect that the GOODS have been rendered, delivered or installed in accordance with the terms of this Contract and have been duly inspected and accepted by the _____.

After having carefully read and accepted your Terms and Conditions. I/We quote you on the item at prices noted above.

Printed Name of authorized representative/Signature _____

Position: _____

Name of Company _____

Address: _____ Email Address: _____

Fax No. _____ Tel No.: _____ Cellphone No. _____

Date: _____

LBP Account No. of Establishment: _____

Name of Payee: _____

Tax Identification Number: _____

Copy of PhilGEPS Registration No.: _____

BIR Registration: VAT Non-VAT

Canvassed by:

Mark Christian M. Magnave
Canvasser

Contact Number: 0945-664-3003
Email Address: bac.office@minsu.edu.ph

