

REQUEST FOR QUOTATION

Supply and Delivery of Sensors for Data Gathering on Atmospheric Conditions of RDE in MinSU Main Campus

Date:	
PR No.	22-0433
RFQ No.	2023-01
ABC Amount:	PhP 300,661.32

Company Name : _____

Address : _____

Please quote your lowest price on the items / listed below, subject to the General Condition on the last page, stating the shortest time of delivery and submit your quotation duly signed by your representative not later than ______ in the address stated in the last page.

NEMESIO H. DAVALOS, Ph.D.

BAC Chairperson

Note: 1. All entries must be typewritten.

- 2. Delivery Period within _____ calendar days.
- 3. Warranty shall be for a period of six (6) months for supplies and materials, one (1) year for Equipment, from date
- of acceptance by the procuring entity.
- 4. Price validity shall be a period of 30 calendar days.
- 5. G-EPS Registration Certificate shall be attached upon submission of the Quotation.
- 6. Bidders shall submit Original Brochures showing certification of the product being offered (optional).
- 7. Mode of delivery: [] Pick-up (Schedule) [] Door to Door Delivery

ltem No.	Unit	ITEM AND DESCRIPTION	QTY.	UNIT PRICE	TOTAL AMOUNT
1 pcs	pcs	WSS-06 Solar Radiation Sensor / Input	2		
		Power: DC 5- 24v			
		Interface: RS485			
		Detect Spectrum: 0.3-3µm (300-3000nm)			
		Measure strength range: 0-2000w/m2			
		Resolution: 0.1W/m2			
		Accuracy: ±3%			
		Yearly Stability: ≤±2%			
		Cosine response: ≤7% (@Sun angle 10°)			
		Temperature Effect: ±2% (-10°C- 40°C)			
		Working Temperature: -40°C- 70°C			
		Working Humidity: 10-90%RH			
		Power Consumption: 4mA @ 12v			
2	pcs	WSS-02 Wind Direction Sensor	2		
		Wind Speed range: 0-30m/s			
		Wind direction range: 0-360°			
		Start wind speed: ≤0.3m/s			
		Accuracy: ± (0.3 + 0.03V) m/s, ±1°			
		Input Power: DC 5-24v			
		interface: RS485			
		Working Temperature: -30°C- 70°C			
		Working Humidity: <100%(no dewing)			
		Power Consumption: 13mA-12v			
		Cable Length: 2 meters			



3	pcs	Atmos 14WSS-05	2	
		Temperature/Humidity/Illiminance/Pressure		
		Input Power: DC 12-24v		
		Interface: RS485		
		Tempearture Sensor spec; Range:-30-70°C		
		Resolution 0.1°C, Accuracy: ±0.5°C		
		Humidity Sensor Spec: Range: 0-100%RH		
		resolution 0.1%RH, Accuracy: 3% RH		
		Pressure sensor Spec: Range:10-1100hPa,		
		Resolution: 0.1hPa, Accuracy: ±0.1hPa		
		Illuminate sensor: Range;0-2/20/200kLux,		
		Resolution: 10Lux, Accuracy:±3% FS		
		Working Temparature:-30°C-70°C		
		Working Humidity: 10-90%RH		
		Power Consumption: 4mA @ 12v		
4	pcs	LSPH01- LoRaWAN Soil pH Sensor/	2	
-	1	LoRaWAN 1.0.3 Class A		
		Ultra-low power consumption		
		Monitor soil PH with Temperature compensation.		
		Monitor soil temperature		
		Monitor Battery Level		
		Support pH calibration by end user		
		Bands:		
		CN470/EU433/KR920/US915/EU868/AS923/AU9		
		15/IN865		
		AT commands to change parameters		
		Uplink on periodically		
		Downlink to change configure		
		IP66 Waterproof Enclosure		
		IP68 rate for the Sensor Probe		
5	pcs	DLOS8N Outdoor LoRaWAN Gateway	2	
		Open Source Embedde Linux system		
		Managed by Web GUI, SSH via LAN or wiFi		
		SX1302 + 2*SX1250		
		Support Semtech UDP packet forwarder		
		Support LoRaWAN Station Connection		
		Auto-provision		
		Remote Monitoring		
6	pcs	LoRa/LoRaWAN IoT V3	2	
		Support multi-channel loRaWAN and Single-		
		Channel LoRa		
		Support various network structures		
		LPS8v2 LoRaWAN Gateway		
7	pcs	GSM Module/ Original SIM900A SIM900 MINI	2	
		V.4 Wireless Data Transmission		
		Module GSM GPRS Board Kit w/ Antenna		
		C83 5v for Arduino uno mega nanotech circuit		
		Tech circuit		



8	pcs	GSM Power Supply	2		
		12V 3.2A 40W Switch Power Supply Driver			
		Transformer for LED Light Strip 110-220V			
9 pcs	pcs	LPS8v2 Indoor LoRaWAN Gateway	4		
		LoRAWAN Gateway Open Source Debian System			
		SX1302 + 2*SX1250			
		10 programmable parallel demodulation paths			
		Pre-configured to support different LoRaWAN			
		regional settings			
		Different kinds of LoRaWAN Connections			
		Data-Only Hotspot, Not suitable for Helium			
		Mining			
10	pcs	SW3L LoRaWAN Outdoor Flow Sensor	2		
		LoRaWAN v1.0.3 Class A protocol			
		Monitor water waste			
		Upload water flow volume			
		Outdoor use			
		Remote configure parameters via LoRa Downlink			
11	pcs	BLG-AN-040 Glass fiber Outdoor Antenna	8		
		868-915Mhz glass Fiber Antenna designed for			
		LoRa/LoRaWAN application			
12	pcs	Arduino Shield featuring LoRa® technology	6		
		LoRa Expansion Board for arduino			
		Supports Arduino Leonardo, Uno, Mega, DUE etc.			
13	pcs	WSS-01- Rain Gauge	2		
		Resolution: 0.2mm			
		Accuracy: ±Rainfall strength: 0mm-4mm/min			
		(max 8mm/min)			
		Input power: DC5-24v			
14	pcs	LSE01-LoRaWAN Soil Moisture & EC Sensor	2		
		LoRaWAN 1.0.3 Class A			
		Ultra Low power consumption			
		Monitor Soil Moisture			
		Monitor Soil Temperature Monitor Soil			
		Conductivity Temperature Compensation			
		Bands:			
		CN470/EU433/KR920/US915/EU868/AS923/AU9			
		15/IN865			
		AT Commands to change parameters			
		Uplink on periodically			
		Downlink to change configure			
		IP66 Waterproof Enclosure			
		4000mAh or 8500mAh Battery for long term use			
	xvxvxvx	vxvxvxvxvxvxvxvxvxvxvxvxvxvxvxvxvxvxvx	vxvxvxvxv	v	

After having carefully read and accepted your General Condition, I / We quote you on the item at prices noted above.



TIN No. of Establishment

Contact Number

Date

- General Conditions

 Quotations and other requirements stated below shall be submitted to the Bids and Awards Committee (BAC) Office, Mindoro State University -Main Campus, Alcate, Victoria, Oriental Mindoro, Philippines on the date and time stated in this RFP.
 - 2. Supplier shall submit the following requirements:
 - a. Duly signed original copy of Request for Quotation (RFQ). Prices shall be quoted in Philippine Pesos.
 - b. PhilGEPS Registration
 - c. Valid Mayor's/Business Permit
 - d. Omnibus Sworn Statement
 - e. BIR Certificate of Registration
 - f. Latest Income/Business Tax Return
 - g. TAX Clearance
 - h. DTI Registration/SEC Certificate
 - i. Original Brochures or certificates of the items offered showing its performance characteristics or specifications, if applicable

Price validity shall be 30 calendar days from the deadline of submission of quotation.

Ocular Inspection

Upon the decision of the End-User and BAC, the supplier and its concerned premises may be subjected to ocular inspection and approval by the End-User and/or TWG Inspections of the BAC prior to the award.

Award

The supplier that submitted the lowest calculated responsive quotation, and passed the inspection conducted by the End-User and BAC prior to the event, if any, shall be awarded the contract.

Evaluation of Quotations

Quotations shall be compared and evaluated of the basis of the following criteria:

- 1. Completeness of Submission
- 2. Compliance with Item & Description Requirements
- 3. Price

Instructions

- 1. Supplier shall be responsible for the source(s) of its goods/services/equipment, and which shall be in accordance with the schedule and specifications of the RFQ or contract. Failure of the supplier to comply with this provision shall be ground for cancellation of the award or purchase order issued to the supplier.
- 2. Supplier that accepted an award, purchase order, or contract but failed to deliver the required goods/services/equipment within the time called for in the award, purchase order, or contract shall be disqualified from participating in MinSU or any of MinSU campuses future procurement activities. This is without prejudice to the imposition of other sanctions prescribed under R.A. 9184 and its IRR-A against the supplier.
- 3. All duties, excise, and other taxes and revenue charges shall be paid by the supplier.
- 4. All transactions are subject to withholding of credible Government Taxes per revenue regulation(s) of the Bureau of Internal Revenue

Liquidation Damages

A penalty of one-tenth of one percent (0.001) of the total value of the undelivered goods/services/equipment shall be charged as liquidated damages for every day of delay of the delivery of the purchased goods/services/equipment.



Supplier warrants that all goods/services/equipment to be provided are of acceptable industry standard.

Payment

Payment shall be made only upon a certification by the Head of the Procuring Entity to the effect that the GOODS have been rendered or delivered in accordance with the terms of this Contract and have been duly inspected and accepted.